

ATTACHMENT 7

FURNITURE SPECIFICATIONS

NOTES

The specifications set forth herein are minimum quality specifications for furniture/materials supplied and installed on behalf of NYSIF pursuant to this agreement.

Bidder covenants to utilize new materials as specified herein and agrees that no furniture/material of a lesser quality shall be used or consumed in the performance of work contemplated herein unless Bidder shall have previously requested and received written approval for each specific proposed substitution.

All furniture/materials to be installed in accordance with manufacturer's specifications. Material installations shall comply with all applicable codes, rules and regulations, and the American's with Disabilities Act Accessibility Guidelines (ADAAG).

Except where specifically provided otherwise, whenever any product is specified by brand name, i.e., manufacturer's or supplier's name or trade name, catalog or model number or name, the intent is not to limit competition but to establish a standard of quality. The words "or equal" shall be deemed inserted in each instance.

In the event Bidder purposes to substitute furniture/materials having characteristics or specifications differing from those set forth herein, such proposal shall include the requested substitution under the "Comments and Limitations" portion of their proposal submission.

GENERAL REQUIREMENTS

- 1. Furniture Quality: Furniture must be of a quality equivalent to Steelcase, Knoll, Herman Miller, and the like. Bidders may specify any of these manufacturer's or an approved equal.
- 2. Furniture Basis of Design: Furniture to be modeled after the narrative description provided below and the Isometric images included within this Attachment 7. The Isometric images are shown in Steelcase; however, this brand is not a Mandatory Requirement. NYSIF is seeking furniture of a quality equivalent of Steelcase, Knoll, Herman Miller, and the like. Bidders may specify any of these manufacturer's or an approved equal.
- 3. The pedestals and overhead cabinets at each workstation must be keyed alike. Additionally, at least seven (7) master keys must be provided for the furniture.
- 4. Power Requirements: Three (3) Duplex outlets: One (1) dedicated and (2) convenience duplex outlets.
- 5. Data Requirements: Two (2) data receptacle with a minimum of two RJ 45 jacks. Category 6 cabling will be used.

- 6. Belt line power and data (worksurface level) is preferred; however, this is not mandatory. Baseline power and data are acceptable as long as the worksurfaces have a sufficient number of grommets for power and data cords.
- 7. Overhead cabinets must have LED task lighting on the bottom.
- 8. Vertical Panel Materials:
 - a. Panels below the worksurface level must be metal or a solid surface material.
 - b. Panels above the worksurface level must be fabric acoustic tile or fabric covered metal tiles. Acoustic tiles should be provided where an occupant would be facing the workstation walls.
 - c. Where a translucent material is specified in the furniture diagrams, the frosted acrylic or approved equivalent must be used.
- 9. Power poles will not be acceptable. Provide service to workstations by wall, column, and/or floor outlets.
- 10. The Bidder will be responsible for ensuring the furniture is cabled and electrified.

SUPERVISOR WORKSTATIONS

- 1. Furniture Dimensions:
 - a. The footprint of the workstations will be 7 ft. x 9 ft. (not including the width of the workstation walls).
 - b. The height of the workstation walls should be 72 inches.
 - c. See the furniture diagrams below for additional information on the layout and materials for the workstations.
- 2. Each workstation will have two (2) pedestals: (1) Box/Box/File and (1) Lateral File/File. The Lateral File/File will be 30-33 inches.
- 3. Articulating worksurface in the corner of the workstation for a keyboard and mouse.

STANDARD WORKSTATIONS

- 1. Furniture Dimensions:
 - a. The footprint of the workstations will be 7 ft. x 7 ft. (not including the width of the workstation walls).
 - b. The height of the workstation walls should be 72 inches.
 - c. See the furniture diagrams below for additional information on the layout and materials for the workstations.
- 2. Each workstation will have two pedestals: (1) Box/Box/File and (1) File/File. Each should be approximately 15 inches wide.
- **3.** Articulating worksurface in the corner of the workstation for a keyboard and mouse.

CONSULTANT WORKSTATIONS

- 1. Furniture Dimensions:
 - a. The footprint of the workstations will be 5 ft. x 2 ft. (not including the width of the workstation walls).
 - b. The height of the workstation walls should be 72 inches.
 - c. See the furniture diagrams for additional information on the layout and materials for the workstations.
- 2. Each workstation will have one (1) pedestal: (1) Box/Box/File approximately 15 inches wide.


ISOMETRIC IMAGES

Refer to the images included on the next three (3) pages of Attachment 7.

ATTACHMENT 7


NYSIF

SUPERVISOR STATION TYPICAL



Scale3/8" = 1'


Frame Side Types



^{**} HARD SURFACE PANEL SKINS CAN BE: LAMINATE, METAL OR WOOD **


PRODUCTS USED:

STEELCASE ANSWER PANEL SYSTEM UNIVERSAL WORKSURFACES AND STORAGE



** POWER CAN BE RUN THROUGH ANY PANELS AT THE BASE OR CAN ALSO BE RUN AT DESK HEIGHT **

42"W OVERHEAD WITH TASKLIGHT



BOX, BOX, FILE PEDESTAL



everything office / anything but ordinary

- ALBANY - NYC - ROCHESTER - SYRACUSE

QUOTE/ORDER NUMBER:

REVISION DATE:

12/28/2022

PLOT SIZE: 11X17

SITE VERIFIED:

NO


COPYRIGHT:

NOTE: THIS DRAWING IS THE PROPERTY OF INTIVITY. UNDER THE US COPYRIGHT LAWS THESE DRAWINGS MAY NOT BE REPRODUCED OR USED WITHOUT WRITTEN CONSENT FROM THE COMPANY.


ATTACHMENT 7

NYSIF

STANDARD STATION TYPICAL




Frame Side Types



** HARD SURFACE PANEL SKINS CAN BE: LAMINATE, METAL OR WOOD **


PRODUCTS USED:

STEELCASE ANSWER PANEL SYSTEM UNIVERSAL WORKSURFACES AND STORAGE



** POWER CAN BE RUN THROUGH ANY PANELS AT THE BASE OR CAN ALSO BE RUN AT DESK HEIGHT **

42"W OVERHEAD WITH TASKLIGHT



BOX, BOX, FILE PEDESTAL

| V | Intivity |
|----------|----------|
| 4.77 | at work |

everything office / anything but ordinary

- ALBANY - NYC - ROCHESTER - SYRACUSE -

QUOTE/ORDER NUMBER:

REVISION DATE:

12/28/2022

PLOT SIZE:

11X17

SITE VERIFIED:


NO

COPYRIGHT:


NOTE: THIS DRAWING IS THE PROPERTY OF INTIVITY. UNDER THE US COPYRIGHT LAWS THESE DRAWINGS MAY NOT BE REPRODUCED OR USED WITHOUT WRITTEN CONSENT FROM THE COMPANY.

NYSIF

CONSULTANT STATION TYPICAL



Scale3/8" = 1'




** HARD SURFACE PANEL SKINS CAN BE: LAMINATE, METAL OR WOOD **

PRODUCTS USED:

STEELCASE ANSWER PANEL SYSTEM
UNIVERSAL WORKSURFACES AND STORAGE

ATTACHMENT 7

** POWER CAN BE RUN THROUGH ANY PANELS AT THE BASE OR CAN ALSO BE RUN AT DESK HEIGHT **



BOX, BOX, FILE PEDESTAL

| Intivity at work |
|---|
| everything office / anything but ordinary |
| ALBANY - NYC - ROCHESTER - SYRACUSE - |

| everything office / anything but ordinary |
|--|
| - ALBANY - NYC - ROCHESTER - SYRACUSE - |
| |
| QUOTE/ORDER NUMBER: |
| |
| |
| |
| |
| REVISION DATE: 12/28/2022 |
| PLOT SIZE: |
| SITE VERIFIED: |
| YES NO |
| COPYRIGHT: NOTE: THIS DRAWING IS THE PROPERTY OF INTIVITY. UNDER THE US COPYRIGHT |

NOTE: THIS DRAWING IS THE PROPERTY
OF INTIVITY. UNDER THE US COPYRIGHT
LAWS THESE DRAWINGS MAY NOT BE
REPRODUCED OR USED WITHOUT
WRITTEN CONSENT FROM THE COMPANY.